

**LAKE CITY, COLORADO
RESOLUTION NO. 1022**

A RESOLUTION OF THE BOARD OF TRUSTEES OF THE TOWN OF LAKE CITY, COLORADO IMPLEMENTING STAGE I VOLUNTARY WATER RESTRICTIONS PURSUANT TO THE TOWN OF LAKE CITY CODE 21-35-A.

WHEREAS, the Board of Trustees may limit the use of town water to specific times, days, and uses, pursuant to the Lake City Municipal Code 21-35-A, and water use contrary to such limits is unlawful;

WHEREAS, on April 4, 2018 the Board of Trustees considered and approved a 2018 Drought Policy, which outlined Stages for water restrictions as needed;

WHEREAS, the Town's water system receives its highest demand historically late June through the month of July;

WHEREAS, the Town of Lake City and Western Colorado have seen periods of drought that significantly impact the local water supply, threatening the health, safety and welfare of our communities;

WHEREAS, the Board of Trustees finds it necessary to implement voluntary Stage I water restrictions as a result of the current weather conditions and until further notice;

WHEREAS, the Board of Trustees desires to be proactive in communicating with the Town and water users of Town-supplied water regarding the water conservation efforts that will be employed and the timing of such water restrictions; and

WHEREAS, the Board of Trustees desires that the community join together in an effort to conserve water by adhering to these voluntary restrictions.

Water Conservation and Management Plan Exhibit A, is hereby adopted and Stage 1 voluntary water restrictions are hereby implemented.

NOW, THEREFORE, BE IT RESOLVED by the Board of Trustees of the Town of Lake City, Colorado, that:

Adopted this 27th day June, 2018.

**BOARD OF TRUSTEES TOWN OF
LAKE CITY, COLORADO**

By: Bruce Vierheller
Bruce Vierheller, Mayor

Attest: Jamie L. Turrentine
Jamie L. Turrentine, Town Clerk



Water Conservation and Management Plan

Stage	Trigger Condition	Actions
Stage I	Voluntary Restrictions: Statewide Drought Status (Begin May 1)	<ul style="list-style-type: none"> • Does not apply to drip systems and use of hand watering containers. • No irrigating between the hours of 9:00 am and 6:00 pm, or when windy >15 mph, in order to minimize evaporation, and anytime on Mondays. • Odd addresses on odd numbered days • Even addresses on even numbered days • Outreach on water use, fixing leaks and limited gardening
Stage II	Mandatory Restrictions: Demand exceeds system capacity (water from the town storage reservoir is the only source)	<ul style="list-style-type: none"> • Odd addresses on odd numbered days – irrigate only on Tuesdays and Saturdays. • Even addresses on even numbered days – irrigate only on Wednesdays and Sundays. • Town Parks irrigation limited to Mondays and Thursdays
Stage III	Demand remains above system capacity and tank levels are not sustained after Stage I and Stage II actions	<ul style="list-style-type: none"> • Maintain all Stage II curtailments plus: • Largest outdoor water users significantly curtailed. Restaurants only serve water upon customer request.
Stage IV	Demand remains above system capacity and tank levels are not sustained after Stage III actions	<ul style="list-style-type: none"> • Maintain all Stage III curtailments plus: • Odd addresses on odd numbered days – irrigate only on Tuesdays and Saturdays.– irrigate only on Tuesdays and Saturdays on the 2nd and 4th weeks of the month. • Even addresses on even numbered days – irrigate only on Wednesdays and Sundays.– irrigate only on Wednesdays and Sundays

		<p>on the 1st and 3rd weeks of the month</p> <ul style="list-style-type: none"> • Town Parks irrigation limited to Mondays and Thursdays.
Stage V	Demand remains above system capacity and tank levels are not sustained after Stage IV actions	<ul style="list-style-type: none"> • Maintain all Stage IV curtailments plus: <ul style="list-style-type: none"> ○ No outdoor irrigation. ○ No car washing, pond, or pool filling. ○ No sidewalk washing. ○ No use of potable water in water features (e.g., fountains).
Stage VI	Demand remains above system capacity and tank levels are not sustained after Stage V actions	<ul style="list-style-type: none"> • Maintain all Stage V curtailments plus: <ul style="list-style-type: none"> ○ Allow no new connections to system until fall or relief from drought.